

Super Nickel NTA Affinity Resin **Datasheet**

Super Nickel NTA Affinity Resin designed for affinity purification of polyhistidine tagged proteins. Nickel ions are carefully loaded onto a 7.5% cross-linked agarose matrix (medium particle diameter 40 µm) via a NTA coupled ligand to obtain a stable affinity matrix with the highest binding capacity for histidine residues (up to 70 mg/ml determined from E.coli cleared lysate). Other metal ions such as Co^{2+} , Zn^{2+} , Fe^{3+} , and Al^{3+} can also be used resulting in different affinities. If required, the Nickel ions can be removed from the agarose matrix using 5 wash steps with 100 mM EDTA, and the matrix recharged with a different metal ion.

Specification:

Specificity: Polyhistidine tag

7.5% cross linked agarose Matrix: Coupled ligand: Nitrilotriacetic acid (NTA)

Binding capacity: 70 mg/ml

Bead size: 32-60 µm (40 µm medium)

Flow rate: 0.25-1 ml/min (optimum), 6 ml/min (max)

Maximum pressure: 72 psi

Buffer compatibility: Common aqueous buffers from pH 2-14 Cleaning buffer examples: 100% methanol, 100% ethanol, 8 M urea,

6 M guanidinium hydrochloride,

30% (v/v) acetonitrile

Shipping/delivery: 50% (v/v) resin suspension in 20% ethanol

at ambient temperature

Storage: Equilibration buffer (short-term) 20% ethanol at 2-8°C (long-term)

Ordering Information:

Product	Volume	Order Code
Super Nickel NTA Affinity Resin (1 ml)	1 ml	Super-NiNTA1
Super Nickel NTA Affinity Resin (10 ml)	10 ml	Super-NiNTA10
Super Nickel NTA Affinity Resin (25 ml)	25 ml	Super-NiNTA25
Super Nickel NTA Affinity Resin (100 ml)	100 ml	Super-NiNTA100

Protein Ark Limited

+44 (0) 33 33 44 20 25 Telephone FAX: +44 (0) 33 33 44 20 25 info@proteinark.com Email:



The Innovation Centre, 217 Portobello, Sheffield S1 4DP, UK. Email: info@proteinark.com Telephone: +44 (0) 33 33 44 20 25 Fax: +44 (0) 33 33 44 20 25 Web: www.proteinark.com