

**A N A L Y S E N Z E R T I F I K A T**  
CERTIFICATE OF ANALYSIS

<b>Calciumhypochlorit</b> reinst	<b>Kat.Nr./Cat.No. :</b>	<b>15591</b>
Calcium hypochlorite research grade	<b>Lot/Contr.No. :</b>	<b>240393</b>

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Summenformel</b> formula		Ca(OCl) <sub>2</sub>	
<b>Molekulargewicht</b> molecular weight		142.98	
<b>Aussehen</b> appearance		weiß-graue Körner white to grey particles	entspricht corresponds
<b>Gehalt (%)</b> assay	Titration aktives Chlor active chlorine	min. 65.0	73.0
<b>Mindesthaltbarkeit</b> minimum shelf life			28.02.2031
<b>Lagerung (°C)</b> storage			+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 02.05.2024

Dr. Judith Koch

Daniela Lux-Helmstetter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.