

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

- **Trade name:** *N,N,N',N'-Tetramethyl-ethylenediamine*
- **Synonyma** TEMED; TD



· **Article number:** 35930

· **CAS Number:**

110-18-9

· **EC number:**

203-744-6

· **Index number:**

612-103-00-3

· **Registration number**

A REACH Registration Number is not available for this product as the product or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49 6221 13840-0

FAX: +49 6221 13840-10

msds.info@serva.de

· **Information department:** Product Safety department Tel.: +49 6221 13840-35

· **1.4 Emergency telephone number:**

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS05

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS02, GHS05, GHS07
- **Signal word** Danger
- **Hazard statements**
 H225 *Highly flammable liquid and vapour.*
 H302+H332 *Harmful if swallowed or if inhaled.*
 H314 *Causes severe skin burns and eye damage.*
- **Precautionary statements**
 P243 *Take precautionary measures against static discharge.*
 P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
 P301+P330+P331 *IF SWALLOWED: rinse mouth. Do NOT induce vomiting.*
 P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
 P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
 P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.

*

SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Description:**
110-18-9 N,N,N',N'-tetramethylethylenediamine
- **Identification number(s):**
- **EC number:** 203-744-6
- **Index number:** 612-103-00-3
- **Description:**
- **Empirical formula:** C₆ H₁₆ N₂
- **MW:** 116.21

*

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Remove contaminated clothing.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation**
Supply fresh air.
Seek medical treatment.
- **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment.
- **After eye contact**
Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.
- **After swallowing**
Wash out mouth. Drink plenty of water and supply fresh air.
Call a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

Trade name: *N,N,N',N'-Tetramethyl-ethylenediamine*

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** *Carbon dioxide*
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be formed, but not limited to:
Nitrogen oxides (NO_x)
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** *Wear self-contained respiratory protective device.*

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Ensure adequate ventilation
Avoid contact with the eyes and skin.
- **6.2 Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace.*
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** *Keep away from sources of heat.*
- **Information about storage in one common storage facility:** *Do not store together with oxidizing materials.*
- **Further information about storage conditions:** *Keep receptacle tightly sealed and store in dry conditions.*
- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:** *Not required.*
- **Additional information:** *The lists that were valid during the creation were used as basis.*

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

Trade name: *N,N,N',N'-Tetramethyl-ethylenediamine*

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Store protective clothing separately.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Short term filter device:
Filter P2.
- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Neoprene gloves
Butyl rubber, BR
- **Eye protection:** *Tightly sealed goggles.*
- **Body protection:** *Protective work clothing.*

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	<i>Liquid</i>
Colour:	<i>colorless to slightly yellowish</i>
Odour:	<i>Amine-like</i>
- **pH-value (0.1 g/l) at 20 °C:** *8.0 - 8.5*
- **Change in condition**

Melting point/freezing point:	<i>- 55 °C</i>
Initial boiling point and boiling range:	<i>121 °C</i>
- **Flash point:** *21 °C*
- **Ignition temperature:** *145 °C*
- **Explosive properties:** *Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.*
- **Explosion limits:**

Lower:	<i>1 Vol %</i>
Upper:	<i>9 Vol %</i>
- **Density at 20 °C:** *0.77 g/cm³*

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 4)

· Solubility in / Miscibility with
Water:

Fully miscible

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant informations available
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Vapours can form explosive mixtures with air.
- **10.4 Conditions to avoid**
 - Heating
 - Ignition sources
- **10.5 Incompatible materials:**
 - Avoid contact with combustible materials.
 - Strong oxidizers
 - Acids
 - Acid chlorides
 - Acid anhydrides
 - Carbon dioxide
 - Copper, copper alloys
- **10.6 Hazardous decomposition products:** In case of fire: See Section 5

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
 - Harmful if swallowed or if inhaled.
- **LD/LC50 values that are relevant for classification:**

Oral	LD50	1580 mg/kg (rat)
Dermal	LD50	5390 mg/kg (rabbit)
- **Primary irritant effect:**
- **Skin corrosion/irritation**
 - Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
 - Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine


(Contd. of page 5)

- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.
 Do not allow product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Disposal must be made according to official regulations.*
- **Uncleaned packagings:**
- **Recommendation:**
Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, IMDG, IATA | UN2372 |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG · IATA | 2372 1,2-DI-(DIMETHYLAMINO) ETHANE
1,2-DI-(DIMETHYLAMINO) ETHANE
1,2-Di-(dimethylamino)ethane |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, IMDG, IATA | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> · Class · Label | 3 Flammable liquids.
3 |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | II |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: | No |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category | Warning: Flammable liquids.
33
F-E,S-D
B |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2018

Version number 6

Revision: 03.05.2018

Trade name: N,N,N',N'-Tetramethyl-ethylenediamine

(Contd. of page 6)

· Transport/Additional information:
· ADR
· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· Transport category

2

· Tunnel restriction code

D/E

· IMDG
· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation":

UN2372, ,2-DI-(DIMETHYLAMINO) ETHANE, 3, II

SECTION 15: Regulatory information
· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40

· National regulations
· Technical instructions (air):

Class	Share in %
I	80-100

· Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: +49 6221 13840-35

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

· * Data compared to the previous version altered.