

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

**Osmium tetroxid 4 %ige Lösung für Elektronenmikroskopie** **Kat.Nr./Cat.No. : 31253**  
**Osmium tetroxide 4 % solution for electron microscopy** **Lot/Contr.No. : 140818**

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Summenformel</b> formula		OsO <sub>4</sub>	
<b>Molekulargewicht</b> molecular weight		254.2	
<b>Aussehen</b> appearance		klare Lösung clear solution	entspricht corresponds
<b>Gehalt (%)</b> assay	OsO <sub>4</sub>	min. 4.0	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			07/ 2019
<b>Lagerung (°C)</b> storage			+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 28.07.2014**

Dipl.-Ing. (FH) Bernhard Göckel

Christian Monsler

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.