

**A N A L Y S E N Z E R T I F I K A T**  
CERTIFICATE OF ANALYSIS

<b>Osmium tetroxid</b> 4 %ige Lösung für Elektronenmikroskopie	<b>Kat.Nr./Cat.No.:</b> 31253
Osmium tetroxide 4 % solution for electron microscopy	<b>Lot/Contr.No.:</b> 241045

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Summenformel</b> formula		OsO <sub>4</sub>	
<b>Molekulargewicht</b> molecular weight		254.2	
<b>Aussehen</b> appearance		klare Lösung clear solution	entspricht corresponds
<b>Gehalt (%)</b> assay	OsO <sub>4</sub>	min. 4.0	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			25.11.2029
<b>Lagerung (°C)</b> storage			+15 bis/ to +30

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date:** 04.12.2024

Dr. Judith Koch

Daniela Lux-Helmstetter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.