

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

<b>Rifampicin</b> reinst	<b>Kat.Nr./Cat.No. :</b>	<b>34514</b>
research grade	<b>Lot/Contr.No. :</b>	<b>160096</b>

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Summenformel</b> formula		C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub>	
<b>Molekulargewicht</b> molecular weight		822.96	
<b>Aussehen</b> appearance		rotbraunes Pulver red-brownish powder	entspricht corresponds
<b>Gehalt (%)</b> assay		98.0 – 102.0	99.2
<b>Identität</b> identity	IR	entspricht corresponds	entspricht corresponds
<b>pH</b>		4.0 – 6.5	5.5
<b>Trocknungsverlust (%)</b> loss on drying		max. 1.0	0.7
<b>Sulfatasche (%)</b> sulfated ash		max. 0.1	0.06
<b>Mindesthaltbarkeit</b> minimum shelf life			10.07.2018
<b>Lagerung (°C)</b> storage			+2 bis/ to +8

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 29.01.2016**

Dipl.-Ing. (FH) Bernhard Göckel

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.