

**A N A L Y S E N Z E R T I F I K A T**  
 CERTIFICATE OF ANALYSIS

<b>SERVA Purple Protein Quantifizierungs-Assay</b>	<b>Kat.Nr./Cat.No. :</b>	<b>39235</b>
SERVA Purple Protein Quantification Assay	<b>Lot/Contr.No. :</b>	<b>P200341</b>

<b>Parameter</b> parameter	<b>Methode</b> method	<b>Spezifikation</b> specification	<b>Ergebnis</b> result
<b>Aussehen</b> appearance		gelbe Flüssigkeit yellow liquid	entspricht corresponds
<b>Reinheit (%)</b> purity	HPLC	Status	> 95
<b>Mindesthaltbarkeit</b> minimum shelf life			24.09.2022
<b>Lagerung (°C)</b> storage			-15 bis/ to -25

SERVA Electrophoresis GmbH

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
 We do not guarantee that the product can be used for a special application.  
 This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 25.09.2020**

Christian Monsler

Patricia Milford

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
 This report has been computer generated and does not contain a signature.