

**ANALYSENZERTIFIKAT**  
CERTIFICATE OF ANALYSIS

<b>Pepstatin A</b>	<b>Kat.Nr./Cat.No. :</b>	<b>52682</b>
	<b>Lot/Contr.No. :</b>	<b>160587</b>

Parameter parameter	Methode method	Spezifikation specification	Ergebnis result
<b>Summenformel</b> formula		C <sub>34</sub> H <sub>63</sub> N <sub>5</sub> O <sub>9</sub>	
<b>Molekulargewicht</b> molecular weight		685.90	
<b>Aussehen</b> appearance		weißes Pulver white powder	entspricht corresponds
<b>Gehalt (%)</b> assay	HPLC	min. 98.0	min. 98.0
<b>Ursprung</b> origin		mikrobiell hergestellt microbial product	entspricht corresponds
<b>Mindesthaltbarkeit</b> minimum shelf life			09.06.2019
<b>Lagerung (°C)</b> storage			+2 bis/ to +8

**Die Eignung des Produktes für spezielle Anwendungszwecke wird nicht zugesichert.**  
**Dieses Dokument entbindet nicht von einer branchenüblichen Eingangskontrolle.**  
We do not guarantee that the product can be used for a special application.  
This document does not release you from performing the standard control upon receipt of incoming goods.

**SERVA Electrophoresis GmbH**  
**Qualitätskontrolle/ Quality Control**

**Druckdatum/ printing date: 23.03.2018**

Dipl.-Ing. (FH) Bernhard Göckel

Daniela Lux-Helmstetter

**Dieses Dokument ist ein Computerausdruck und deshalb ohne Unterschrift gültig.**  
This report has been computer generated and does not contain a signature.