Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Glutaraldehyde 50 % solution in water
- · Article number: 23116
- · UFI: R030-V0YG-G004-YUR7
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety department Tel.: +49 6221 13840-35
- · 1.4 Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS06

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS09

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 1)

STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms: GHS05, GHS06, GHS08, GHS09
- · Signal word: Danger

#### · Hazard-determining components of labelling:

glutaral

#### · Hazard statements:

H301+H331 Toxic if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.H335 May cause respiratory irritation.

*H400 Very toxic to aquatic life.* 

*H411 Toxic to aquatic life with long lasting effects.* 

#### · Precautionary statements

*P273* Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### · Additional information:

EUH071 Corrosive to the respiratory tract.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms GHS05, GHS06, GHS08, GHS09
- · Signal word Danger

## · Hazard-determining components of labelling:

glutaral

#### · Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

#### · Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## · 2.3 Other hazards

- · Results of PBT and vPvB assessment:
- · **PBT**: PBT assessment not available.
- · vPvB: vPvB assessment not available.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: aqueous solution

(Contd. on page 3)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 2)

30-50%

· Dangerous components:

CAS: 111-30-8 EINECS: 203-856-5

glutaral

Acute Tox. 3, H301; Acute Tox. 2, H330; **&** Resp. Sens. 1, H334; **&** Skin Corr. 1B, H314; **&** Aquatic Acute 1, H400; Aquatic Chronic 2,

H411;  $\diamondsuit$  Skin Sens. 1A, H317; STOT SE 3, H335, EUH071 Specific concentration limit: STOT SE 3; H335:  $C \ge 0.5\%$ 

· Additional information

the product contains no further substances which shall be indicated according to UK REACH-Regulation (Regulation (EC) No. 1907/2006).

For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Remove contaminated clothing.

Remove breathing apparatus only after contaminated clothing have been completely removed.

*In case of irregular breathing or respiratory arrest provide artificial respiration.* 

- · After inhalation: Provide fresh air. Call for doctor immediately.
- · After skin contact:

Immediate wash with copious amounts of water and soap; rinse thoroughly; seek medical advice.

· After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

· After swallowing:

Wash out mouth. Call a doctor immediately.

Do not induce vomitting - risc of chemical burns!

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture:

Formation of dangerous gases or vapours is possible in case of fire.

In case of fire, the following can be formed, but not limited to:

Carbon monoxide and carbon dioxide

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting media in accordance with official regulations.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid contact with the eyes and skin.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 3)

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up

Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store at +2 to +8 °C

Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Keep receptacle tightly sealed and store in dry conditions.

· 7.3 Specific end use(s): No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 111-30-8 glutaral (30-50%)

WEL Short-term value: 0.2 mg/m³, 0.05 ppm Long-term value: 0.2 mg/m³, 0.05 ppm

Sen

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls: No further data; see item 7.
- · Individual protection measures, such as personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter A/P3

· Hand protection:

Neoprene gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves.

(Contd. on page 5)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves Nitrile rubber, NBR

- · Eye/face protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

#### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information:

Physical state: Fluid
Colour: Colourless
Odour: Unpleasant

Odour threshold: no information available
 Melting point/freezing point: no information available

· Boiling point or initial boiling point and boiling

range: no information available
Flammability: no information available

· Lower and upper explosion limit:

Lower: no information available
 Upper: no information available
 Flash point: no information available
 Decomposition temperature: no information available
 pH: no information available

· Viscosity:

Kinematic viscosity: no information available
 Dynamic viscosity: no information available

· Solubility:

· Water: Fully miscible

Partition coefficient n-octanol/water (log value): no information available
 Vapour pressure: no information available

· Density and/or relative density:

Density: no information available
 Relative density: no information available

- · 9.2 Other information
- · Appearance:
- · Form: Solution

(Contd. on page 6)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 5)

· Important information on protection of health and environment, and on safety:

• Explosive properties: no information available

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity: No further relevant informations available
- · 10.2 Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: Vapours can form flammable and explosive mixtures with air.
- · 10.4 Conditions to avoid: high ttemperatures
- · 10.5 Incompatible materials:

Avoid contact with:

Oxidizers, acids, bases

Amines

· 10.6 Hazardous decomposition products: In case of fire: See Section 5

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:
- · Acute toxicity: Toxic if swallowed or if inhaled.

· LD/LC50 values that are relevant for classification:					
111-30-8 glutaral					
Oral	LD50	77 mg/kg (rat)			
		0.28-0.39 mg/l (rat)			
	LC50/96h	12.2 mg/l (trout)			

- · Skin corrosion/irritation: Causes severe skin burns and eye damage.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology)

Glutaraldehyde is identified as a substance of very high concern in accordance with Article 57(f) of Regulation (EC) 1907/2006 (UK REACH) because it is a substance with respiratory sensitising properties for which there is scientific evidence of probable serious effects to human health which

gives rise to an equivalent level of concern to those substances listed in points (a) to (e) of Article 57 of the UK REACH regulation. (ECHA SVHC Support Document - Glutaral, CAS-No. 111-30-8; page 4)

- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Corrosive to the respiratory tract.
- · 11.2 Information on other hazards:
- · Endocrine disrupting properties:

None of the ingredients is listed.

GB

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 6)

## SECTION 12: Ecological information

- · 12.1 Toxicity:
- · Aquatic toxicity: very toxic to aquatic life.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment:
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.
- 12.6 Endocrine disrupting properties: For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

· Class:

· Label:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN2927
· 14.2 UN proper shipping name	
$\cdot ADR$	2927 TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.
	(glutaral solution), ENVIRONMENTALL
	HAZARDOUS
· IMDG, IATA	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.
	(glutaral solution)
· 14.3 Transport hazard class(es)	
· ADR	

6.1 Toxic substances.

6.1 + 8

(Contd. on page 8)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

	(Contd. of page
· IMDG	
· Class · Lahel	6.1 Toxic substances. 6.1/8
· IATA	
· Class · Label	6.1 Toxic substances. 6.1 (8)
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards	Product contains environmentally hazardou substances: glutaral
· Marine pollutant: · Special marking (ADR):	Yes Symbol (fish and tree)
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Toxic substances. 68 F-A,S-B B
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IM instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 2927 TOXIC LIQUID, CORROSIVE, ORGANIO N.O.S. (GLUTARAL SOLUTION), 6.1 (8), I ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- $\cdot \textit{Named dangerous substances-ANNEX I} \ \textit{None of the ingredients is listed}.$

(Contd. on page 9)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 8)

· Seveso category

H2 ACUTE TOXIC

E1 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
Wasser	30-50
I	30-50

- · Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Date of previous version: 06.08.2021
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (UK REACH)

vPvB: very persistent, very bioaccumulative substance (UK REACH)

UK REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: Regulation on classification, labelling and packaging of substances and mixtures

(Contd. on page 10)

Printing date 20.12.2022 Version number 5 Revision: 20.12.2022

Trade name: Glutaraldehyde 50 % solution in water

(Contd. of page 9)

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

CD