Date of issue: 07/18/2025 Reviewed on 07/18/2025

1 Identification

· Product identifier

· Trade name: Phenylmethylsulfonyl fluoride

· CAS Number:

329-98-6

· Other means of identification

· Article number: 32395

• **EC number:** 206-350-2

· Application of the substance / the mixture: Laboratory chemicals

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

· Information department: Security Department Phone: +49 6221 13840-34

· Emergency telephone number:

Emergency medical information in case of poisoning Poison Information Center Mainz-Tel: +49 (0) 6131 19240

(Advice in German and English)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06

Acute toxicity - oral 3 H301 Toxic if swallowed.



Skin corrosion 1B

H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: GHS05, GHS06
- · Signal word: Danger
- · Hazard statements:

Toxic if swallowed.

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If swallowed: Immediately call a poison center/doctor.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 1)

- · Information pertaining to particular dangers for man and environment:
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3
 Fire = 0
 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment:
- · PBT: PBT Assessment not available.
- · vPvB: vPvB Assessment not available.
- · Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

329-98-6 α -toluenesulphonyl fluoride

- · Identification number(s):
- · EC number: 206-350-2
- · Description:
- · Empirical formula: $C_7H_7FO_2S$
- · MW: 174.19

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. Consult an ophthalmologist immediately.

· After swallowing:

Rinse out mouth. Call a doctor immediately.

Do not induce vomiting!

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of hazardous vapors and gases possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

Hydrogen fluoride (HF)

- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Forms acidic vapours in contact with water. In contact with metalic surfaces forms flammable hydrogene and may build explosive atmosphere with hydrogene.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Avoid formation of dust.

Avoid contact with eyes and skin.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up

Dispose contaminated material as waste according to section 13.

Pick up mechanically.

- · Protective Action Criteria for Chemicals
- · PAC-1: Substance is not listed.
- · PAC-2: Substance is not listed.
- · PAC-3: Substance is not listed.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only.

Store container tightly closed and dry.

Protect from humidity and water.

(Contd. on page 4)

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 3)

 \cdot *Specific end use(s): No further relevant information available.*

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Ingredients with biological limit values:

329-98-6 a-toluenesulphonyl fluoride (80-100%)

BEI 2 mg/L

Medium: urine Time: prior to shift

Parameter: Fluoride (background, nonspecific)

3 mg/L

Medium: urine Time: end of shift

Parameter: Fluoride (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter P3

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Fluorocarbon rubber (Viton)

PVC gloves

Butyl rubber, BR

- · Eye protection: Tightly sealed goggles
- · **Body protection:** Protective work clothing

LIS

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information:

Physical state
Color:
White
Odor:
Light

Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 No information available
 No information available

· Explosion limits:

Lower: No information available
 Upper: No information available
 Flash point: No information available
 Decomposition temperature: No information available
 pH-value: No information available

· Viscosity:

Kinematic: No information available
 Dynamic: No information available

· Solubility in / Miscibility with:

· Water: Hydrolized.

• Partition coefficient (n-octanol/water): No information available • Vapor pressure: No information available

· Vapor pressure:

Density: No information available
 Relative density: No information available
 Particle characteristics No information available

· Other information

· Appearance:

· Form: Crystalline

· Important information on protection of health and

environment, and on safety:

• Danger of explosion: Product does not present an explosion hazard.

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions:

Contact with water releases irritant gases.

Reacts with metals forming hydrogen.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- · Conditions to avoid: Moisture
- · Incompatible materials: Avoid contact with strong oxidizing agents, strong acids, strong alkalis.
- · Hazardous decomposition products: In case of fire: see section 5

TIC

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 200 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Interactive effects No interactive effects between components are known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.
- · Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (Self-assessment): slightly hazardous for water

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of in accordance with official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN2923

(Contd. on page 7)

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

	(Contd. of page
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive solids, toxic, n.o.s. (\alpha-toluenesulphonyl fluoride) 2923 CORROSIVE SOLID, TOXIC, N.O.S. (\alpha toluenesulphonyl fluoride) CORROSIVE SOLID, TOXIC, N.O.S. (\alpha-toluenesulphony fluoride)
· Transport hazard class(es)	
· DOT	
· Class · Label	8 Corrosive substances 8, 6.1
· ADR	
· Class: · Label:	8 Corrosive substances 8+6.1
· IMDG	
· Class · Label	8 Corrosive substances 8/6.1
·IATA	
· Class · Label	8 Corrosive substances 8 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards · Marine pollutant:	No
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
	(Contd. on page

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

(Contd. of page 7) · IMDG · Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 86 F-A,S-B· EMS Number: · Stowage Category В SW2 Clear of living quarters. · Stowage Code · UN "Model Regulation": UN 2923 CORROSIVE SOLID, TOXIC, N.O.S. (α-TOLUENESULPHONYL FLUORIDE), 8 (6.1), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS05, GHS06
- · Signal word Danger
- · Hazard statements

Toxic if swallowed.

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dust.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If swallowed: Immediately call a poison center/doctor.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: +49 6221 13840-34

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Date of issue: 07/18/2025 Reviewed on 07/18/2025

Trade name: Phenylmethylsulfonyl fluoride

· Date of previous version 05/12/2023

 Date of preparation 07/18/2025 · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute toxicity - oral 3: Acute toxicity - Category 3

Skin corrosion 1B: Skin corrosion/irritation - Category 1B