Printing date 05/14/2024

*

*

*

Product identifier	CEDI //
Trade name: Silicone DC 200 fluid; 10 cst	SERVA serving scientists
• Article number: 35132 • CAS Number: 63148-62-9 • Application of the substance / the mixture: Laboratory chemica	uls
 Details of the supplier of the safety data sheet Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de 	discinito
• Information department: Product Safety Department Tel.: +49 • Emergency telephone number: Emergency medical information in case of poisoning Poison Information Center Mainz-Tel: +49 (0) 6131 19240 (Advice in German and English)	6221 13840-35
Hazard(s) identification	
P Hazard(s) identification • Classification of the substance or mixture The substance is not classified, according to the Globally Harm	onized System (GHS).
· Classification of the substance or mixture	onized System (GHS).
 Classification of the substance or mixture The substance is not classified, according to the Globally Harm Label elements GHS label elements Void Hazard pictograms: Void Signal word: Void Hazard statements: Void 	onized System (GHS).
 Classification of the substance or mixture The substance is not classified, according to the Globally Harm Label elements GHS label elements Void Hazard pictograms: Void Signal word: Void 	onized System (GHS).
• Classification of the substance or mixture The substance is not classified, according to the Globally Harm • Label elements • GHS label elements Void • Hazard pictograms: Void • Signal word: Void • Hazard statements: Void • Classification system: • NFPA ratings (scale 0 - 4) Health = 0 Fire = 1 Reactivity = 0	onized System (GHS).
 Classification of the substance or mixture The substance is not classified, according to the Globally Harm Label elements GHS label elements Void Hazard pictograms: Void Signal word: Void Hazard statements: Void Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 1 	onized System (GHS).
Classification of the substance or mixture The substance is not classified, according to the Globally Harm Label elements GHS label elements Void Hazard pictograms: Void Signal word: Void Hazard statements: Void Classification system: NFPA ratings (scale $0 - 4$) Health = 0 Fire = 1 Reactivity = 0 HMIS-ratings (scale $0 - 4$) Health = 0 Fire = 1 Reactivity = 0 Health = 0 Fire = 1 Health = 0 Fire = 1 Health = 0 Fire = 1	onized System (GHS).

3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description: 63148-62-9 Polydimethylsiloxanes

(Contd. on page 2)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Silicone DC 200 fluid; 10 cst

• Additonal information:

The product does not contain any substances that have to be declared according to the REACH regulation (Regulation (EC) No. 1907/2006).

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor. • *After eye contact:*

Rinse opened eye for several minutes with running water. Remove existing contact lenses, if possible, and continue rinsing. In case of complaints, consult an ophthalmologist.

- After swallowing: Rinse out mouth. In case of complaints, consult a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

 CO_2 extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

Vapors may form flammable and explosive mixtures with air.

Formation of hazardous vapors and gases possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

silicon oxides

- Formaldehyde
- Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up Dispose contaminated material as waste according to section 13.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Protective Action Criteria for Chemicals
- **PAC-1:** 65 mg/m³
- · PAC-2: 720 mg/m³
- · PAC-3: 4,300 mg/m³
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling: No special measures required.

(Contd. on page 3)

(Contd. of page 1)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Silicone DC 200 fluid; 10 cst

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store container tightly closed and dry.
- Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Additional information about design of technical systems: No further data; see section 7.
- Personal protective equipment:
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- **Breathing equipment:** Suitable respiratory protective device recommended. Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber, NBR Natural rubber, NR Chloroprene rubber, CR

• Eye protection: Safety glasses • Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chem	nical properties
· General Information:	
· Color:	Colorless
· Odor:	Characteristic
• Odor threshold:	Not determined.
• Melting point/Melting range:	No information available

(Contd. on page 4)

US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Silicone DC 200 fluid; 10 cst

· Boiling point/Boiling range:	>35 °C (>95 °F)
· Flammability (solid, gaseous):	Based on available data, the classification criteria for
- · · · - ·	flammable liquids are not met.
· Explosion limits:	
· Lower:	No information available
· Upper:	No information available
· Flash point:	>101 °C (>213.8 °F)
• Decomposition temperature:	No information available
· pH-value:	No information available
· Viscosity:	
· Kinematic viscosity:	9.0-11.0 cSt
· Dynamic viscosity:	No information available
· Solubility in / Miscibility with:	
· Water:	no information available
· Partition coefficient (n-octanol/water):	No information available
· Vapor pressure:	No information available
· Vapor pressure:	
• Density at 20 •C (68 •F):	0.93-0.94 g/cm ³ (7.76085-7.8443 lbs/gal)
· Relative density:	No information available
• Other information	
· Appearance:	
· Form:	Liquid
• Important information on protection of health environment, and on safety:	*
· Danger of explosion:	Not determined.

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No further relevant information available.
- · Conditions to avoid: High temperatures
- · Incompatible materials: Avoid contact with strong oxidizers.
- · Hazardous decomposition products: In case of fire: see section 5

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- \cdot Specific target organ toxicity single exposure:
- Based on available data, the classification criteria are not met.
- · Specific target organ toxicity repeated exposure:
- Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.
- \cdot Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Silicone DC 200 fluid; 10 cst

- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: Bioaccumulation potential is not expected.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (Assessment by list): slightly hazardous for water

13 Disposal considerations

· Waste treatment methods

- · Recommendation: Dispose of in accordance with official regulations.
- · Uncleaned packagings:
- · Recommendation:

Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.

· UN-Number		
· DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	
· Environmental hazards		
• Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I	I of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 6)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Silicone DC 200 fluid; 10 cst

(Contd. of page 5)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact: +49 6221 13840-35
- Date of preparation / last revision 05/14/2024
- · Abbreviations and acronyms:

PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US -