Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Cedar wood oil

· Article number: 38565

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Laboratory chemicals

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

· Information department: Product Safety department Tel.: +49 6221 13840-35

· 1.4 Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

Cedar oil

Gurjun oil

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

Cedar oil

Gurjun oil

(Contd. on page 2)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Cedar wood oil

(Contd. of page 1)

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:						
CAS: 85085-41-2 EINECS: 285-370-3	Cedar oil	♦ Asp. Tox. 1, H304	ca. 25%			
CAS: 8030-55-5 EINECS: 232-444-8	Gurjun oil	♦ Asp. Tox. 1, H304	ca. 25%			

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

· After eye contact

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

· After swallowing

Wash out the mouth and call a doctor.

Do not induce vomitting - risk of possible aspiration!

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire formation of toxic vapours and gases is possible.

- · 5.3 Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Cedar wood oil

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR

· Eye protection: Safety glasses

(Contd. on page 4)

Version number 3 Revision: 03.05.2018 Printing date 03.05.2018

Trade name: Cedar wood oil

(Contd. of page 3)

· **Body protection:** Protective work clothing.

SECTION 9: P	Physical and	l chemical	properties
--------------	--------------	------------	------------

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: viscous liquid Colour: Yellow · Odour: Characteristic · Odour threshold: Not determined. Not determined. · pH-value:

· Change in condition

Melting point/freezing point: undetermined Initial boiling point and boiling range: undetermined

>100 °C · Flash point:

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature:

Not determined. Decomposition temperature:

· Self igniting: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

> Not determined. Not determined.

· Explosion limits:

Lower:

Upper:

· Vapour pressure: Not determined. Not determined · Density: ca. 0,97 - 1 (20 °C) · Relative density

· Vapour density Not determined. · Evaporation rate Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Not determined. dynamic: kinematic: Not determined.

· Solvent content:

0.0 % Organic solvents: · **VOC** %: 0.00 % · VOC g/l: $0.0 \, g/l$

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No further relevant informations available.

(Contd. on page 5)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Cedar wood oil

(Contd. of page 4)

- · 10.4 Conditions to avoid high ttemperatures
- · 10.5 Incompatible materials: Avoid contact with strong oxidizers.
- 10.6 Hazardous decomposition products: In case of fire: See Section 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Cedar wood oil

		(Contd. of page
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	Void	
· Label	-	
· ADN/R Class:	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Abbreviations and acronyms:

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

· * Data compared to the previous version altered.