Printing date 05/04/2021 Reviewed on 05/04/2021

1 Identification

· Product identifier

· Trade name: Polyethylene glycol 6000

· Article number: 39778

• CAS Number: 25322-68-3 • NLP Number:

500-038-2

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety department Tel.: +49 6221 13840-35
- · Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

25322-68-3 Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated

(Contd. on page 2)

Printing date 05/04/2021 Reviewed on 05/04/2021

Trade name: Polyethylene glycol 6000

(Contd. of page 1)

- · Identification number(s) · NLP Number: 500-038-2
- · Impurities and stabilising additives:
- · MW: 5400 6600

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

· After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing: Wash out the mouth and call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2 extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of dangerous gases or vapours is possible in case of fire.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Avoid formation of dust.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Pick up mechanically.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 30 mg/m3
- · PAC-2: 1,300 mg/m³
- **PAC-3:** 7,700 mg/m^3

US

Printing date 05/04/2021 Reviewed on 05/04/2021

Trade name: Polyethylene glycol 6000

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with strong oxidizing agents.

- · Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

25322-68-3 Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated (80-100%)

WEEL Long-term value: 10 mg/m³ (H); MW>200

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR

· Eye protection: Safety glasses

· **Body protection:** Protective work clothing

TIC

Printing date 05/04/2021 Reviewed on 05/04/2021

Trade name: Polyethylene glycol 6000

(Contd. of page 3)

Color: W Odor: C Odor threshold: N pH-value: 4. Change in condition Melting point/Melting range: 55 Boiling point/Boiling range: U Flash point: cc	llakes White Characteristic Tot determined. 5-7.5 5-61 °C (131-141.8 °F) Indetermined.
Appearance: Form: Color: Wodor: Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: U Flash point:	Thite Characteristic Sot determined. 5-7.5 5-61 °C (131-141.8 °F) Indetermined.
Form: Color: W Odor: Odor threshold: PH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: U Flash point:	Thite Characteristic Sot determined. 5-7.5 5-61 °C (131-141.8 °F) Indetermined.
Odor: C. Odor threshold: N. pH-value: 4. Change in condition Melting point/Melting range: 5.5 Boiling point/Boiling range: U Flash point: co	Tharacteristic Yot determined. 5-7.5 5-61 °C (131-141.8 °F) Indetermined.
Odor threshold: pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: U Flash point:	ot determined. .5-7.5 5-61 °C (131-141.8 °F) Indetermined.
pH-value: 4. Change in condition Melting point/Melting range: 55 Boiling point/Boiling range: U Flash point: co	5-7.5 5-61 °C (131-141.8 °F) Indetermined.
Change in condition Melting point/Melting range: 55 Boiling point/Boiling range: U Flash point: co	5-61 °C (131-141.8 °F) Indetermined.
Melting point/Melting range:55Boiling point/Boiling range:UFlash point:color	Indetermined.
Boiling point/Boiling range: U Flash point: ca	Indetermined.
Flash point: ca	
•	250 0G (DIVIGO 2502)
Flammability (solid, gaseous): no	a. 250 °C (DIN ISO 2592)
	o information available
Ignition temperature: 42	20 °C (788 °F) (DIN 51794)
Decomposition temperature: No	ot determined.
Auto igniting: no	o information available
Danger of explosion:	roduct does not present an explosion hazard.
Explosion limits:	
	o information available
Upper: no	o information available
Vapor pressure at 20 °C (68 °F):	0.1 hPa
Density: no	o information available
	o information available
Vapor density No	ot applicable.
Evaporation rate No	ot applicable.
Solubility in / Miscibility with	
Water at 20 °C (68 °F): 50	00 g/l
Partition coefficient (n-octanol/water): N	ot determined.
Viscosity:	
• • • • • • • • • • • • • • • • • • • •	00-270 mPas (50 % in H2O) 50-390 mm²/s

10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid

moisture

high ttemperatures

exposure to the light

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: In case of fire: See Section 5

Printing date 05/04/2021 Reviewed on 05/04/2021

Trade name: Polyethylene glycol 6000

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 >15,000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · **on the eye:** No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

Toxicity to fish: LC50/96h (Cyprinus carpio, OECD 203) >100 mg/l

Toxicity to aquatic plants: EC50/72h (Desmodesmus subspicatus, OECD 201) > 100 mg/l

EC50/48h > 100 mg/l (Daphnia magna)

- Persistence and degradability Biological degradability > 70% in 21 d (aerobic, OECD 301 A).
- · Other information: The product is readily biodegradable.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (Assessment by list): slightly hazardous for water

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

T 16

Printing date 05/04/2021 Reviewed on 05/04/2021

Trade name: Polyethylene glycol 6000

(Contd. of page 5)

UN-Number	
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN ''Model Regulation'':	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 05/04/2021 / 2
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/04/2021 Reviewed on 05/04/2021

Trade name: Polyethylene glycol 6000

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

- 119