
Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31



Printing date 22.11.2024

Version number 6

Revision: 22.11.2024

Trade name: Tris buffer pH 8.8, 1 M solution

· After eye contact:

Rinse opened eye for several minutes with running water. Remove contact lenses, if possible, and continue rinsing. In case of complaints, consult an ophthalmologist.

- After swallowing: Rinse out mouth. In case of complaints, consult a doctor.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO_2 , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • 5.2 Special hazards arising from the substance or mixture:
- In case of fire, the following can be formed, but not limited to: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up Dispose contaminated material as waste according to section 13.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: The product is not flammable
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store containers tightly closed and dry.
- 7.3 Specific end use(s): No further relevant information available.

(Contd. on page 3)

(Contd. of page 1)

Printing date 22.11.2024

*

*

· Odour:

range: · Flammability:

· Lower:

· Upper:

• Odour threshold:

• *Melting point/freezing point:*

· Lower and upper explosion limit:

· Boiling point or initial boiling point and boiling

Version number 6

Revision: 22.11.2024

Trade name: Tris buffer pH 8.8, 1 M solution

(Contd. of page 2)

ontrol parameters onents with limit values that require monitoring at roduct does not contain any relevant quantities of ored at the workplace. onal information: The lists that were valid during the sposure controls priate engineering controls: No further data; see see dual protection measures, such as personal protect al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to p missing tests no recommendation to the glove mate emical mixture. tion of the glove material on consideration of th dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election the application. ration time of glove material: wact break trough time has to be found out by the me red. the permanent contact of a maximum of 15 minut le: al rubber, NR e rubber, NBR the protection: Safety glasses protection: Protective work clothing.	f materials with critical values that have to e creation were used as basis. tion 7. re equipment: the product/ the substance/ the preparation. ial can be given for the product/ the preparat
roduct does not contain any relevant quantities of ored at the workplace. Sonal information: The lists that were valid during the cposure controls priate engineering controls: No further data; see see dual protection measures, such as personal protect al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate- emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election the application. ration time of glove material: kact break trough time has to be found out by the material time of glove material: al rubber, NR e rubber, NBR the portection: Safety glasses	f materials with critical values that have to e creation were used as basis. tion 7. re equipment: the product/ the substance/ the preparation. ial can be given for the product/ the preparat
pred at the workplace. Conal information: The lists that were valid during the cposure controls priate engineering controls: No further data; see see dual protection measures, such as personal protect al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate- emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election the suitable gloves does not only depe fy and varies from manufacturer to manufacturer. election to the application. ration time of glove material: kact break trough time has to be found out by the material al rubber, NR e rubber, NR are ubber, NBR the portection: Safety glasses	e creation were used as basis. tion 7. e equipment: re recommended. the product/ the substance/ the preparation. ial can be given for the product/ the preparat
conal information: The lists that were valid during the sposure controls priate engineering controls: No further data; see see dual protection measures, such as personal protect al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. Itately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. Thing equipment: Suitable respiratory protective dev protection: Suitable respiratory protection of the glove material on consideration of the dation suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacture to manufacture to manufacture to the application. Fration time of glove material: sact break trough time has to be found out by the moved. Suitable is to be found out by the moved. Suit	tion 7. re equipment: re recommended. The product/ the substance/ the preparation. ial can be given for the product/ the preparat
sposure controls priate engineering controls: No further data; see see dual protection measures, such as personal protects al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mater emical mixture. tion of the glove material on consideration of th dation ial of gloves: election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election to the application. tration time of glove material: wact break trough time has to be found out by the me bed. the permanent contact of a maximum of 15 minu- ber. al rubber, NR e rubber, NR e rubber, NBR the protection: Safety glasses	tion 7. re equipment: re recommended. The product/ the substance/ the preparation. ial can be given for the product/ the preparat
priate engineering controls: No further data; see see dual protection measures, such as personal protect al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: love material has to be impermeable and resistant to protection: love material on consideration of the dation dation ial of gloves: election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer unces, the resistance of the glove material can not ed prior to the application. ration time of glove material: kact break trough time has to be found out by the moved. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	e equipment: re recommended. the product/ the substance/ the preparation. ial can be given for the product/ the preparat
dual protection measures, such as personal protection al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to protection: ove material has to be impermeable and resistant to protection: ove material has to be impermeable and resistant to protection: ove material has to be impermeable and resistant to protection: down for the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer inces, the resistance of the glove material can not ed prior to the application. tration time of glove material: kact break trough time has to be found out by the moved. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NR is rubber, NR is composition of the glasses	e equipment: re recommended. the product/ the substance/ the preparation. ial can be given for the product/ the preparat
al protective and hygienic measures: away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate emical mixture. tion of the glove material on consideration of th dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe y and varies from manufacturer to manufacture mices, the resistance of the glove material can not ed prior to the application. ration time of glove material: kact break trough time has to be found out by the m yed. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	re recommended. he product/ the substance/ the preparation. ial can be given for the product/ the preparat
away from foodstuffs, beverages and feed. protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacturer. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NR the protection: Safety glasses	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
protective clothing separately. liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: love material has to be impermeable and resistant to o missing tests no recommendation to the glove mate- emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depery y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depery y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depery and varies from manufacturer to manufacturer. election of the suitable gloves does not only depery y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depery and varies from manufacturer to manufacturer. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
liately remove all soiled and contaminated clothing contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate emical mixture. tion of the glove material on consideration of th dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer mices, the resistance of the glove material can not ed prior to the application. ration time of glove material: kact break trough time has to be found out by the mixed. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NR e rubber, NBR ince protection: Safety glasses	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
contact with the eyes and skin. hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove material emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacture inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: kact break trough time has to be found out by the model. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NR e rubber, NBR	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
hands before breaks and at the end of work. hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate- emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacturer. election the suitable glove material can not ed prior to the application. ration time of glove material: kact break trough time has to be found out by the model. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
hing equipment: Suitable respiratory protective dev protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate- emical mixture. tion of the glove material on consideration of th dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacturer inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the model. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
protection: ove material has to be impermeable and resistant to o missing tests no recommendation to the glove mate- emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacturer inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the moved. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	he product/ the substance/ the preparation. ial can be given for the product/ the preparat
ove material has to be impermeable and resistant to o missing tests no recommendation to the glove material emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer manufacturer to manufacturer. the resistance of the glove material can not ed prior to the application. ration time of glove material: exact break trough time has to be found out by the model. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	ial can be given for the product/ the preparat
p missing tests no recommendation to the glove mate emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacture inces, the resistance of the glove material can not ed prior to the application. tration time of glove material: exact break trough time has to be found out by the m yed. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NR the protection: Safety glasses	ial can be given for the product/ the preparat
emical mixture. tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only deper- y and varies from manufacturer to manufacturer. election of the suitable gloves does not only deper- ty and varies from manufacturer to manufacturer traces, the resistance of the glove material can not ed prior to the application. ration time of glove material: kact break trough time has to be found out by the mi- yed. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	
tion of the glove material on consideration of the dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufacture unces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m yed. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	e penetration times, rates of diffusion and
dation ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufacture inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the moved. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	penetration times, rates of all usion and
ial of gloves: election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe ty and varies from manufacturer to manufactur inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m yed. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	
election of the suitable gloves does not only depe y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe y and varies from manufacturer to manufactur inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m yed. he permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	
y and varies from manufacturer to manufacturer. election of the suitable gloves does not only depe by and varies from manufacturer to manufactur inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m bed. The permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	d on the material but also on further mark
election of the suitable gloves does not only depe by and varies from manufacturer to manufactur inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m bed. The permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	a on the material, out also on further mark
ty and varies from manufacturer to manufactur inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m bed. The permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	d on the material but also on further mark
inces, the resistance of the glove material can not ed prior to the application. ration time of glove material: wact break trough time has to be found out by the m yed. The permanent contact of a maximum of 15 minu le: al rubber, NR e rubber, NBR the protection: Safety glasses	
ed prior to the application. ration time of glove material: kact break trough time has to be found out by the m yed. the permanent contact of a maximum of 15 minu- le: al rubber, NR e rubber, NBR the protection: Safety glasses	
ration time of glove material: xact break trough time has to be found out by the m yed. he permanent contact of a maximum of 15 minu le: al rubber, NR e rubber, NBR ace protection: Safety glasses	
exact break trough time has to be found out by the moved. The permanent contact of a maximum of 15 minute le: al rubber, NR e rubber, NBR the protection: Safety glasses	
ved. he permanent contact of a maximum of 15 minu le: al rubber, NR e rubber, NBR the protection: Safety glasses	nufacturer of the protective gloves and has to
le: al rubber, NR e rubber, NBR ice protection: Safety glasses	
le: al rubber, NR e rubber, NBR ice protection: Safety glasses	es gloves made of the following materials
e rubber, NBR ace protection: Safety glasses	
ce protection: Safety glasses	
• • • •	
• • • •	
TION 9: Physical and chemical properties	
formation on basic physical and chemical properti	
al Information:	· · · · · · · · · · · · · · · · · · ·
cal state: Fluid	
r: Color	

Odourless

not determined.

No information available

Printing date 22.11.2024

Version number 6

Revision: 22.11.2024

Trade name: Tris buffer pH 8.8, 1 M solution

	(Contd. of page 3
· Flash point:	No information available
· Decomposition temperature:	No information available
· pH at 20 •C:	8.7-8.9
· Viscosity:	
· Kinematic viscosity:	No information available
· Dynamic viscosity:	No information available
· Solubility:	·
· Water:	Fully miscible
Partition coefficient n-octanol/water (log value):	No information available
· Vapour pressure:	No information available
Density and/or relative density:	·
Density:	No information available
Relative density:	No information available
9.2 Other information	
Appearance:	
Form:	Solution
Important information on protection of health and	l
environment, and on safety:	
• Explosive properties:	Product does not present an explosion hazard.

SECTION 10: Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

- · 10.2 Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: No further relevant information available.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: Avoid contact with: strong oxidising agents, strong bases
- · 10.6 Hazardous decomposition products: In case of fire: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards:
- Endocrine disrupting properties: No relevant information available

SECTION 12: Ecological information

- 12.1 Toxicity:
- \cdot Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- \cdot 12.3 Bioaccumulative potential: No further relevant information available.
- \cdot 12.4 Mobility in soil: No further relevant information available.

(Contd. on page 5)

GB -

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.11.2024

Version number 6

Revision: 22.11.2024

Trade name: Tris buffer pH 8.8, 1 M solution

- · 12.5 Results of PBT and vPvB assessment:
- **PBT:** PBT assessment not available.
- · **vPvB**: vPvB assessment not available.
- 12.6 Endocrine disrupting properties: For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects:
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Dispose of in accordance with official regulations.
- · Uncleaned packagings:
- · Recommendation:
- Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

SECTION 14: Transport information

Void		
Void		
· 14.3 Transport hazard class(es)		
Void		
Void		
No		
Not applicable.		
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
Not dangerous according to the above specifications.		
Void		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act
- · Regulated explosives precursors
- None of the ingredients is listed.
- · Regulated poisons

None of the ingredients is listed.

(Contd. on page 6)

(Contd. of page 4)

⁻⁰

Printing date 22.11.2024

Version number 6

Revision: 22.11.2024

Trade name: Tris buffer pH 8.8, 1 M solution

(Contd. of page 5)

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

• REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

· Contact: +49 6221 13840-35

• Date of previous version: 23.05.2022

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (UK REACH)

vPvB: very persistent, very bioaccumulative substance (UK REACH)

UK REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

UFI: Unique Formula Identifier

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative