Printing date 07/02/2021

Reviewed on 07/02/2021

Product identifier	CEDI//
Trade name: <u>SERVA HiSens Stain G</u>	SERVE serving scientist
Article number: 39805 Application of the substance / the mixture Laboratory chemicals	
Details of the supplier of the safety data sheet Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de	Gmbh
Information department: Product Safety department Tel.: +49 6221 Emergency telephone number: Medical Emergency Information in case of poisoning: Poison Information Center Mainz - Phone: +49 (0) 6131 19240 (advisory service in German or English language)	13840-35
Hazard(s) identification	
The product is not classified, according to the Globally Harmonized Label elements GHS label elements Void	System (GHS).
Classification of the substance or mixture The product is not classified, according to the Globally Harmonized Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$) HEALTH 0 FIRE 0 Reactivity = 0 Reactivity = 0	System (GHS).

· Dangerous components: Void

*

(Contd. on page 2)

US

Printing date 07/02/2021

Reviewed on 07/02/2021

Trade name: SERVA HiSens Stain G

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

· After swallowing:

Wash out mouth. Drink plenty of water and supply fresh air. Consult doctor if you feel unwell. Do not induce vomiting!

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO_2 extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective clothing.*

Ensure adequate ventilation

Avoid contact with the eyes and skin.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

 · PAC-1:
 67-68-5
 dimethyl sulfoxide
 150 ppm

 · PAC-2:
 67-68-5
 dimethyl sulfoxide
 290 ppm

 · PAC-3:
 290 ppm

1,800 ppm

7 Handling and storage

67-68-5 dimethyl sulfoxide

· Handling:

· Precautions for safe handling No special measures required.

(Contd. on page 3)

⁻ US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/02/2021

Reviewed on 07/02/2021

Trade name: SERVA HiSens Stain G

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store at -15 to -25 °C
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions. Protect from exposure to the light.*
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- 67-68-5 dimethyl sulfoxide (<65%)
- WEEL Long-term value: 250 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Store protective clothing separately.
- Immediately remove all soiled and contaminated clothing.
- Avoid contact with the eyes and skin.
- Wash hands before breaks and at the end of work.
- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/
- the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material* The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- \cdot For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
- Natural rubber, NR
- Rubber gloves • Eye protection: Safety glasses
- **Body protection:** Protective work clothing

(Contd. on page 4)

Printing date 07/02/2021

Trade name: SERVA HiSens Stain G

Reviewed on 07/02/2021

(Contd. of page 3)

Physical and chemical properties	S	
Information on basic physical and	chemical properties	
• General Information		
· Appearance:		
Form:	Solution	
Color:	Brown	
· Odor:	no relevant data available	
· Odor threshold:	Not determined.	
· pH-value:	no information available	
· Change in condition		
Melting point/Melting range:	no information available	
Boiling point/Boiling range:	no information available	
Flash point:	no information available	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	no information available	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	no information available	
Upper:	no information available	
Vapor pressure:	no information available	
Density:	no information available	
Relative density	ca. $1, 1 \text{ g/cm}^3$	
Vapor density	Not determined.	
Evaporation rate	no information available	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): no information available	
Viscosity:		
Dynamic:	no information available	
Kinematic:	no information available	
Solvent content:		
Organic solvents:	<65.0 %	
VOC content:	<65.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No further relevant informations available.

(Contd. on page 5)

Printing date 07/02/2021

Reviewed on 07/02/2021

Trade name: SERVA HiSens Stain G

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

- Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

Void

(Contd. on page 6)

US

Printing date 07/02/2021

Reviewed on 07/02/2021

Trade name: SERVA HiSens Stain G

		(Contd. of page 5)
· UN proper shipping name · DOT, ADR, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
· Class	Void	
· Label	-	
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.	

15 Regulatory information

×

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
67-68-5 dimethyl sulfoxide AC	TIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
None of the ingredients is listed.	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· GHS label elements Void	
• Hazard pictograms Void • Signal word Void	
(Contd. or	1 page 7)

Printing date 07/02/2021

Reviewed on 07/02/2021

Trade name: SERVA HiSens Stain G

(Contd. of page 6)

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- Contact: +49 6221 13840-35

Abbreviations and acronyms: BT: persistent, bioaccumulative, toxic substance (REACH) PvB: very persistent, very bioaccumulative substance (REACH) EACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures
BT: persistent, bioaccumulative, toxic substance (REACH) PvB: very persistent, very bioaccumulative substance (REACH) EACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
EACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
LP: Regulation on classification, labelling and packaging of substances and mixtures
w: body weight
DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
nternational Carriage of Dangerous Goods by Road)
MDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
ATA: International Air Transport Association
INECS: European Inventory of Existing Commercial Chemical Substances
'LINCS: European List of Notified Chemical Substances
AS: Chemical Abstracts Service (division of the American Chemical Society)
IFPA: National Fire Protection Association (USA)
IMIS: Hazardous Materials Identification System (USA)
OC: Volatile Organic Compounds (USA, EU)
BT: Persistent, Bioaccumulative and Toxic
PvB: very Persistent and very Bioaccumulative
IOSH: National Institute for Occupational Safety
NHA: Occupational Safety & Health
LV: Threshold Limit Value
EL: Permissible Exposure Limit
EL: Recommended Exposure Limit
- U