Printing date 05/04/2018 Reviewed on 02/05/2018

### 1 Identification

· Product identifier

· Trade name: SERVA HPETM IPG Overlay

· Article number: 43397

• CAS Number: 8042-47-5

• **EC number:** 232-455-8

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety department Tel.: +49 6221 13840-35
- · Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS08
- · Signal word Danger
- · Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 1Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/04/2018 Reviewed on 02/05/2018

Trade name: SERVA HPETM IPG Overlay

· HMIS-ratings (scale 0 - 4)

HEALTH0Health=0FIRE1Fire=1REACTIVITY0Reactivity=0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

8042-47-5 White mineral oil (petroleum)

- · Identification number(s)
- · **EC** number: 232-455-8
- · Additonal information: Overlay oil to cover IPG strips during high voltage isoelectric focusing of proteins.

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.

· After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

· After swallowing:

Wash out mouth. Call a doctor immediately.

Do not induce vomitting - risk of possible aspiration!

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO<sub>2</sub> extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

HS

Printing date 05/04/2018 Reviewed on 02/05/2018

Trade name: SERVA HPETM IPG Overlay

(Contd. of page 2)

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid the formation of oil haze.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Keep receptacle tightly sealed and store in dry conditions.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 05/04/2018 Reviewed on 02/05/2018

Trade name: SERVA HPETM IPG Overlay

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR

· Eye protection: Safety glasses

· **Body protection:** Protective work clothing

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Viscous
Color: Colorless
Odor: Characteristic

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: -15 °C (101,3 kPa) Boiling point/Boiling range: 218 - 800 °C (101,3 kPa)

• Flash point:  $>170 \, ^{\circ}C \, (>338 \, ^{\circ}F)$ 

· Ignition temperature:

Decomposition temperature: no information available

· Auto igniting: 325-355 °C

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:no information availableUpper:no information available

• Density at 15 °C (59 °F): 0.83-0.87 g/cm³ (6.926-7.26 lbs/gal)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Viscosity:

**Dynamic:** no information available

Kinematic at 40 °C (104 °F): 14-18.5 mm<sup>2</sup>/s

· Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid Avoid high temperatures, flames, sparks
- · Incompatible materials: Avoid contact with oxidizers.

(Contd. on page 5)

Printing date 05/04/2018 Reviewed on 02/05/2018

Trade name: SERVA HPETM IPG Overlay

· Hazardous decomposition products: In case of fire: See Section 5

(Contd. of page 4)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 8042-47-5 White mineral oil (petroleum)

Oral	LD50	> 5000 mg/kg (rat)
	LC50/96h	> 10 000 mg/l (Forelle)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot \textit{\textbf{Mobility in soil}} \ \textit{No further relevant information available}.$
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

US

Printing date 05/04/2018 Reviewed on 02/05/2018

Trade name: SERVA HPETM IPG Overlay

(Contd. of page 5)

Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADN · Class	Void
· ADR, IMDG, IATA · Class · Label	Void -
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65 Substance is not listed.
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Cancerogenity categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS08
- · Signal word Danger
- · Hazard statements

May be fatal if swallowed and enters airways.

· Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 05/04/2018 Reviewed on 02/05/2018

Trade name: SERVA HPETM IPG Overlay

(Contd. of page 6)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 05/04/2018 / 1
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Asp. Tox. 1: Aspiration hazard – Category 1

· \* Data compared to the previous version altered.

US