


# 2D HPE<sup>™</sup> Large BlotGel NF 12.5 % Kit Cat. No. 43432

# Safety Data Sheets of the following Kit Components:

43880	2D HPE™ Large BlotGel NF 12.5 %
43801	SDS Anode buffer (blue)
43802	SDS Cathode buffer (white)
43371	Cooling Fluid
43805	Equilibration Buffer

Printing date 08/27/2021



- · Chemical characterization: Mixtures
- · Description:

2D HPE<sup>TM</sup> BlotGels are polyacrylamide-bisacrylamide layers on a non-fluorescent plastic foil.

· Dangerous components: Void

(Contd. on page 2)

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2021

Reviewed on 08/27/2021

#### Trade name: 2D HPETM Large BlotGel NF 12.5 %

#### • Additional information:

2D HPE<sup>TM</sup> BlotGels are articles according to the Article 3, 3. of the REACH Regulation (Regulation (EC) No 1907/2006). We note that the SVHC substance Acrylamide (residual monomer) is included in this artcle in a concentration below 0,1 %.

### 4 First-aid measures

· Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell. • *After eye contact:* 

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing: -
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:  $CO_{2}$  extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.
- Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

· Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Pick up mechanically.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

(Contd. on page 3)

Printing date 08/27/2021

Reviewed on 08/27/2021

Trade name: 2D HPE<sup>TM</sup> Large BlotGel NF 12.5 %

(Contd. of page 2)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: Store at +2 to +8 °C
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in dry conditions.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR

- Eve protection: Safety glasses
- · **Body protection:** Protective work clothing

(Contd. on page 4)

Printing date 08/27/2021

Reviewed on 08/27/2021

# Trade name: 2D HPE<sup>TM</sup> Large BlotGel NF 12.5 %

(Contd. of page 3)

Information on basic physical and a	chemical properties
General Information Appearance:	
Form:	gel between two plastic films
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
VOC content:	0.00 %
Other information	No further relevant information available.

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No further relevant informations available.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

• Hazardous decomposition products: In case of fire: See Section 5

(Contd. on page 5)

Printing date 08/27/2021

Reviewed on 08/27/2021

### Trade name: 2D HPETM Large BlotGel NF 12.5 %

(Contd. of page 4)

# **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

- Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

#### 14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

Printing date 08/27/2021

Reviewed on 08/27/2021

Trade name: 2D HPETM Large BlotGel NF 12.5 %

	(Contd. of page 5)
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
None of the ingredients is listed.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
None of the ingredients is listed.
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Cancerogenity categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 7)

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/27/2021

Reviewed on 08/27/2021

Trade name: 2D HPE<sup>TM</sup> Large BlotGel NF 12.5 %

· GHS label elements Void

- Hazard pictograms Void
- · Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Date of preparation / last revision 08/27/2021 / -
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH)

- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
- CLP: Regulation on classification, labelling and packaging of substances and mixtures
- bw: body weight

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit




# Buffer Kit for 2D HPE<sup>™</sup> Gels Cat. No. 43312

# Safety Data Sheets of the following Kit Components:

43801	SDS Anode buffer (blue)
43802	SDS Cathode buffer (white)
43371	Cooling Fluid
43805	Equilibration Buffer

Printing date 10/16/2020

(Contd. on page 2)



Printing date 10/16/2020

Reviewed on 10/16/2020

#### Trade name: SDS Anode buffer (blue)

#### 64-19-7 acetic acid 100 %

(Contd. of page 1) 1-3%

#### 4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.
- After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- *CO*<sub>2</sub> extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

• PAC-1:		
107-21-1	Ethanediol	30 ppm
64-19-7	acetic acid 100 %	5 ppm
· PAC-2:		
107-21-1	Ethanediol	150 ppm
64-19-7	acetic acid 100 %	35 ppm
· PAC-3:		
107-21-1	Ethanediol	900 ppm
		(Contd. on page 3)

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Anode buffer (blue)

### 64-19-7 acetic acid 100 %

(Contd. of page 2) 250 ppm

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- *Specific end use(s) No further relevant information available.*

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Compo	nents with limit values that require monitoring at the workplace:
	-1 Ethanediol (5-10%)
TLV	Short-term value: 10** mg/m³, 50* ppm
	Long-term value: 25* ppm
	Short-term value: 10** mg/m³, 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL	I (2)
64-19-7	7 acetic acid 100 % (1-3%)

PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

 REL Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
 TLV Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device: Filter P2

• Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

- the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

(Contd. of page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/16/2020

Reviewed on 10/16/2020

### Trade name: SDS Anode buffer (blue)

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.* 

 $\cdot$  For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

• Eye protection: Safety glasses

· Body protection: Protective work clothing

9 Physical and chemical propertie	S .
· Information on basic physical and	chemical properties
• General Information	
· Appearance:	
Form: Color:	Solution Blue
· Odor:	ыше Recognizable
• Odor: • Odor threshold:	Not determined.
• pH-value at 20 °C (68 °F):	7.9-8.1
	/// 0.1
• Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	no information available
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
$\cdot$ Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/war	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	6-13 %
VOC content:	1-3 %
• Other information	No further relevant information available.

(Contd. on page 5)

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Anode buffer (blue)

(Contd. of page 4)

### 10 Stability and reactivity

- · Reactivity No further relevant informations available
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: In case of fire: See Section 5

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 2 (Self-assessment): hazardous for water

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

US

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Anode buffer (blue)

· Uncleaned packagings:

· Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• **Recommended cleansing agent:** Water, if necessary with cleansing agents.

#### **14 Transport information** · UN-Number · DOT, ADR, IMDG, IATA Void · UN proper shipping name $\cdot DO\bar{T}$ Void · ADR, IMDG, IATA Void • Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class Void · Label · Packing group · DOT, ADR, IMDG, IATA Void · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

107-21-1 Ethanediol

• **TSCA** (Toxic Substances Control Act): All components have the value ACTIVE.

· Hazardous Air Pollutants

107-21-1 Ethanediol

· Proposition 65

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

107-21-1 Ethanediol

(Contd. on page 7)

US -

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Anode buffer (blue)

(Contd. of page 6)

A4

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

107-21-1 Ethanediol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.


# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- Date of preparation / last revision 10/16/2020 / 2
- · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Printing date 10/16/2020



(Contd. on page 2)

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Cathode buffer (white)

# · Dangerous components:

(Contd. of page 1)

#### 07.21.1 Ethernodial

5-10%

# 107-21-1 Ethanediol

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- After eye contact: Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.
- After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- $CO_2$  extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

· Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:

All components have the value 30 ppm.

· PAC-2:

All components have the value 150 ppm.

· PAC-3:

All components have the value 900 ppm.

(Contd. on page 3)

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Cathode buffer (white)

(Contd. of page 2)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

107-21-1 Ethanediol (5-10%)

TLV Short-term value: 10\*\* mg/m<sup>3</sup>, 50\* ppm Long-term value: 25\* ppm \*vapor fraction:\*\*inh. fraction, aerosol only

WEEL I(2)

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing. Avoid contact with the eyes and skin. Wash hands before breaks and at the end of work.
- **Breathing equipment:** Short term filter device: Filter P2
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

(Contd. on page 4)

(Contd. of page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Cathode buffer (white)

· Eye protection: Safety glasses

· Body protection: Protective work clothing

9 Physical and chemical properties	S	
· Information on basic physical and	chemical properties	
· General Information		
· Appearance:		
Form:	Solution	
Color:	Colorless	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
• pH-value at 20 •C (68 •F):	7.4-7.6	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	no information available	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
• Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	t <b>er</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	5-10 %	
VOC content:	0.00 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant informations available

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No further relevant informations available.
- · Conditions to avoid No further relevant information available.

• Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Cathode buffer (white)

(Contd. of page 4)

• Hazardous decomposition products: In case of fire: See Section 5

# **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- $\cdot$  on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations:
- When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **<u>12 Ecological information</u>**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- Waste treatment methods
- Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- Recommendation:
- Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 10/16/2020

\*

\*

Reviewed on 10/16/2020

Trade name: SDS Cathode buffer (white)

(Contd. of page 5)

UN-Number	17-: 1	
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
All ingredients are listed.
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
All ingredients are listed.
· Proposition 65
None of the ingredients is listed.
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
All ingredients are listed.
· Cancerogenity categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value established by ACGIH)
All components have the value A4.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
(Contd. on page 7)

Printing date 10/16/2020

Reviewed on 10/16/2020

Trade name: SDS Cathode buffer (white)

· GHS label elements Void

- Hazard pictograms Void
- · Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- Contact: +49 6221 13840-35
- · Date of preparation / last revision 10/16/2020 / 2

• Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

- vPvB: very persistent, very bioaccumulative substance (REACH)
- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit

US -

Printing date 10/14/2020

\*

×

Reviewed on 10/14/2020

Identification	
Product identifier	SFB\//
Trade name: <u>Cooling Fluid</u>	serving scientist
<b>Article number:</b> 43371 <b>Application of the substance / the mixture</b> Laboratory chemicals	
Details of the supplier of the safety data sheet Manufacturer/Supplier: SERVA Electrophoresis GmbH Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de	Gmbh
<b>Information department:</b> Product Safety department Tel.: +49 6221 13840- <b>Emergency telephone number:</b> Medical Emergency Information in case of poisoning: Poison Information Center Mainz - Phone: +49 (0) 6131 19240 (advisory service in German or English language)	35
Hazard(s) identification	
Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH $\bigcirc$ FIRE $\bigcirc$ Reactivity = 0 Health = 0 Fire = 0 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT : PBT - assessment not available.	
<b>vPvB:</b> vPvB - assessment not available.	

- $\cdot$  **Description:** aqueous solution
- · Dangerous components:

The product contains no ingredients classified as hazardous substances according to Regulation (EC) No. 1272/2008 (CLP Regulation) in individual concentrations which shall be indicated according to Regulation (EC) No. 1907/2006 (REACH Regulation).

(Contd. on page 2)

Printing date 10/14/2020

Reviewed on 10/14/2020

#### Trade name: Cooling Fluid

(Contd. of page 1)

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- · After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
   CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
   Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbon monoxide and carbon dioxide
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### **6** Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective clothing. Ensure adequate ventilation
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

All components have the value 45 mg/m<sup>3</sup>.

· PAC-2:

All components have the value  $180 \text{ mg/m}^3$ .

· PAC-3:

All components have the value 1,100 mg/m<sup>3</sup>.

#### 7 Handling and storage

· Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

<sup>-</sup> US

Printing date 10/14/2020

Reviewed on 10/14/2020

Trade name: Cooling Fluid

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: Store at +2 to +8 °C
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- *Specific end use(s) No further relevant information available.*

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

- 56-81-5 glycerol (5-15%)
- PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup> mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing.
- Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- **Breathing equipment:** Short term filter device: Filter P2
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.* 

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

(Contd. on page 4)

Printing date 10/14/2020

\*

Reviewed on 10/14/2020

Trade name: Cooling Fluid

(Contd. of page 3)

Information on basic physical and chemical properties		
General Information		
Appearance:		
Form:	Solution	
Color:	Colorless	
Odor:	<i>Odorless</i>	
Odor threshold:	no information available	
pH-value at 20 °C (68 °F):	6-8.3	
Change in condition		
Melting point/Melting range:	no information available	
Boiling point/Boiling range:	no information available	
Flash point:	no information available	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	no information available	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	no information available	
Upper:	no information available	
Vapor pressure:	no information available	
Density:	no information available	
Relative density	no information available	
Vapor density	no information available	
Evaporation rate	no information available	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): no information available	
Viscosity:		
Dynamic:	no information available	
Kinematic:	no information available	
Solvent content:		
VOC content:	0.00 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant informations available

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No further relevant informations available.

• Conditions to avoid No further relevant information available.

 $\cdot \textit{Incompatible materials: } No further relevant information available.$ 

• Hazardous decomposition products: In case of fire: See Section 5

(Contd. on page 5)

Printing date 10/14/2020

Reviewed on 10/14/2020

#### Trade name: Cooling Fluid

(Contd. of page 4)

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

- Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

*Printing date 10/14/2020* 

Reviewed on 10/14/2020

Trade name: Cooling Fluid

(Contd. of page 5)

UN-Number	
DOT, ADR, IMDG, IATA	Void
UN proper shipping name	
DOT	Void
ADR, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
Class	Void
Label	-
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 7)

US

Printing date 10/14/2020

Reviewed on 10/14/2020

Trade name: Cooling Fluid

(Contd. of page 6)

 $\cdot$  NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35

• Date of preparation / last revision 10/14/2020 / 1

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Printing date 10/14/2020

Reviewed on 10/14/2020

Product identifier	CEDI //
Trade name: Equilibration Buffer	SERVA
Article number: 43805	serving scientist
Application of the substance / the mixture Laboratory chemicals	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	5
SERVA Electrophoresis GmbH	
Carl-Benz-Str. 7 D-69115 Heidelberg	
Tel.: +49 6221 13840-0	CA.
FAX: +49 6221 13840-10	<u> </u>
msds.info@serva.de	( ) · · · · · · · · · · · · · · · · · ·
Information department: Product Safety department Tel.: +49 6221	13840-35
Emergency telephone number:	C
Medical Emergency Information in case of poisoning:	
Poison Information Center Mainz - Phone: +49 (0) 6131 19240	2
(advisory service in German or English language)	
Hazard(s) identification	
J. A.	
Label elements GHS label elements Void Hazard pictograms Void	
Signal word Vola	
Hazard statements Void	
Hazard statements Void Classification system:	
Hazard statements Void Classification system:	
Hazard statements Void Classification system:	
Hazard statements Void Classification system: NFPA ratings (scale 0 - 4)	
Hazard statements Void Classification system: NFPA ratings (scale 0 - 4) Health = 0	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) Health = 0 Fire = 0 Reactivity = 0	
Hazard statements Void Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4)	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH $0$ Health = 0	
Fire = 0 $Fire = 0$	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH $0$ Health = 0	
Hazard statements VoidClassification system:NFPA ratings (scale $0 - 4$ )Health = 0Fire = 0Reactivity = 0HMIS-ratings (scale $0 - 4$ )HEALTH $0$ Fire = 0Reactivity = 0HEALTH $0$ Fire = 0Reactivity = 0	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) $Health = 0$ Fire $= 0$ Reactivity $= 0$ HMIS-ratings (scale $0 - 4$ )HEALTH $0$ Fire $= 0$ Reactivity $= 0$ Health $= 0$ Fire $= 0$ Reactivity $= 0$ Other hazards Results of PBT and vPvB assessment	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH $0$ Health = 0 FIRE $0$ Reactivity = 0 HEALTH $0$ Health = 0 Fire = 0 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT : PBT - assessment not available.	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH $0$ Health = 0 FIRE $0$ Reactivity = 0 HEALTH $0$ Health = 0 Fire = 0 Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT : PBT - assessment not available.	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH $\bigcirc$ Health = 0 FIRE $\bigcirc$ Fire = 0 REACTIVITY $\bigcirc$ Reactivity = 0 Other hazards Results of PBT and vPvB assessment PBT: PBT - assessment not available.	
Hazard statements Void Classification system: NFPA ratings (scale $0 - 4$ ) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale $0 - 4$ ) HEALTH 0 Health = 0 Fire = 0 Health = 0 Fire = 0 Fire = 0	

· Dangerous components:

\*

The product contains no ingredients classified as hazardous substances according to Regulation (EC) No. 1272/2008 (CLP Regulation) in individual concentrations which shall be indicated according to Regulation (EC) No. 1907/2006 (REACH Regulation).

(Contd. on page 2)

Printing date 10/14/2020

Reviewed on 10/14/2020

#### Trade name: Equilibration Buffer

(Contd. of page 1)

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Consult doctor if you feel unwell.
- After eye contact:

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist In case of complaints.

- · After swallowing: Wash out mouth. Seek medical advice if discomfort occurs.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- $No \ further \ relevant \ information \ available.$

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:  $CO_{2}$  extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture In case of fire, the following can be released:
- Carbon monoxide and carbon dioxide
- Advice for firefighters
- *Protective equipment:* Wear self-contained respiratory protective device.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information. • Protective Action Criteria for Chemicals
- · Frolective Action Criteria for Chem
- PAC-1:

All components have the value  $45 \text{ mg/m}^3$ .

All components have the value  $180 \text{ mg/m}^3$ .

· PAC-3:

All components have the value 1,100 mg/m<sup>3</sup>.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

<sup>·</sup> PAC-2:

<sup>-</sup> US

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/14/2020

Reviewed on 10/14/2020

Trade name: Equilibration Buffer

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed and store in dry conditions.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

- 56-81-5 glycerol (20-40%)
- PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup> mist; \*total dust \*\*respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Store protective clothing separately. Immediately remove all soiled and contaminated clothing. Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- **Breathing equipment:** Short term filter device: Filter P2
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.* 

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

- Eye protection: Safety glasses
- · Body protection: Protective work clothing

(Contd. on page 4)

Printing date 10/14/2020

Reviewed on 10/14/2020

Trade name: Equilibration Buffer

(Contd. of page 3)

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Colution
Form: Color:	Solution Violet
Odor:	Violei Odorless
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	8.9-9.3
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	no information available
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	no information available
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	no information available
Upper:	no information available
Vapor pressure:	no information available
Density:	no information available
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): no information available
Viscosity:	
Dynamic:	no information available
Kinematic:	no information available
Solvent content:	
VOC content:	0.00 %
Other information	No further relevant information available.

# 10 Stability and reactivity

· Reactivity No further relevant informations available

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No further relevant informations available.

• Conditions to avoid No further relevant information available.

 $\cdot \textit{Incompatible materials: } No further relevant information available.$ 

• Hazardous decomposition products: In case of fire: See Section 5

(Contd. on page 5)

Printing date 10/14/2020

Reviewed on 10/14/2020

#### Trade name: Equilibration Buffer

(Contd. of page 4)

# **11** Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

- Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Disposal must be made according to official regulations.
- · Uncleaned packagings:
- · Recommendation:

Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 10/14/2020

Reviewed on 10/14/2020

Trade name: Equilibration Buffer

(Contd. of page 5)

UN-Number	
DOT, ADR, IMDG, IATA	Void
UN proper shipping name	
DOT	Void
ADR, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, IMDG, IATA	
Class	Void
Label	-
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.

### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 10/14/2020

Reviewed on 10/14/2020

Trade name: Equilibration Buffer

(Contd. of page 6)

 $\cdot$  NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35

REL: Recommended Exposure Limit

• Date of preparation / last revision 10/14/2020 / 1

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation PBT: persistent, bioaccumulative, toxic substance (REACH) vPvB: very persistent, very bioaccumulative substance (REACH) REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals CLP: Regulation on classification, labelling and packaging of substances and mixtures bw: body weight ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit