

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Acetic acid 100 % for LC-MS



· **Article number:** 45638

· **CAS Number:**

64-19-7

· **EC number:**

200-580-7

· **Index number:**

607-002-00-6

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture:** Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49 6221 13840-0

FAX: +49 6221 13840-10

msds.info@serva.de

· **Information department:** Product Safety Department Tel.: +49 6221 13840-35

· **1.4 Emergency telephone number:**

Emergency medical information in case of poisoning

Poison Information Centre Mainz-Tel: +49 (0) 6131 19240

(Counselling in German and English)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008:**



GHS02

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008:**

The substance is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms:** GHS02, GHS05

· **Signal word:** Danger

· **Hazard statements:**

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P264 Wash thoroughly after handling.

(Contd. on page 2)

GB

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 1)

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **Labelling of packages where the contents do not exceed 125 ml**
 - **Hazard pictograms** GHS02, GHS05
 - **Signal word** Danger
 - **Hazard statements**
H314 Causes severe skin burns and eye damage.
 - **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - **2.3 Other hazards**
 - **Results of PBT and vPvB assessment:**
 - **PBT:** PBT - Assessment not available.
 - **vPvB:** vPvB - Assessment not available.
 - **Determination of endocrine-disrupting properties** No further relevant information available.

SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Description:**
64-19-7 acetic acid 100 %
- **Identification number(s):**
- **EC number:** 200-580-7
- **Index number:** 607-002-00-6
- **Specific concentration limits**
Skin Corr. 1A; H314: $C \geq 90 \%$
Skin Corr. 1B; H314: $25 \% \leq C < 90 \%$
Skin Irrit. 2; H315: $10 \% \leq C < 25 \%$
Eye Irrit. 2; H319: $10 \% \leq C < 25 \%$
- **Description:**
- **Empirical formula:** $C_2H_4O_2$
- **MW:** 60.05

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Remove contaminated clothing.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Wash off immediately with soap and water and rinse thoroughly. In case of complaints, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes with running water. Remove contact lenses if possible and continue rinsing. Consult an ophthalmologist immediately.
- **After swallowing:**
Drink copious amounts of water and provide fresh air. Call for doctor immediately.
Do not induce vomiting!

(Contd. on page 3)

GB

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture:**
Flammable substance, vapours are heavier than air and spread on the ground. Vapours may accumulate in low-lying areas.
Vapours may form flammable and explosive mixtures with air.
In case of fire, formation of dangerous fire gases or vapours possible.
In case of fire, the following can be formed, but not limited to:
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Ensure adequate ventilation
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up**
Dispose contaminated material as waste according to section 13.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
Protect against electrostatic charges.
Keep ignition sources away - Do not smoke.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Provide acid-resistant floor.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
Store containers tightly closed and dry.
This product is hygroscopic.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 3)

· 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

64-19-7 acetic acid 100 % (80-100%)

WEL	Short-term value: 50 mg/m ³ , 20 ppm
	Long-term value: 25 mg/m ³ , 10 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls: No further data; see section 7.

· Individual protection measures, such as personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Breathing equipment:

Short term filter device:

Filter A/P2.

· Hand protection:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

PVC gloves

· Eye/face protection: Tightly sealed goggles.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information:

· Physical state:

Fluid

· Colour:

Colourless

· Odour:

Pungent

· Odour threshold:

not determined.

· Melting point/freezing point:

16-17 °C

· Boiling point or initial boiling point and boiling range:

117-118 °C

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 4)

· Flammability:	Flammable.
· Lower and upper explosion limit:	
· Lower:	4 Vol %
· Upper:	17 Vol %
· Flash point:	39 °C
· Auto-ignition temperature:	485 °C
· Decomposition temperature:	No information available
· pH:	2.5
· Viscosity:	
· Kinematic viscosity:	No information available
· Dynamic viscosity:	No information available
· Solubility:	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value):	No information available
· Vapour pressure at 20 °C:	16 hPa
· Vapour pressure at 50 °C:	77 hPa
· Density and/or relative density:	
· Density at 20 °C:	1.05 g/cm ³
· Relative density:	No information available

· **9.2 Other information**

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety:	
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Molecular weight	60.05 g/mol

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:**
Possibility of hazardous reactions on contact with:
oxidizing agents
Metals
bases
amines
Vapours may form flammable and explosive mixtures with air.
- **10.4 Conditions to avoid:** Avoid high temperatures, flames and sparks
- **10.5 Incompatible materials:**
Avoid contact with:
Oxidising agents
Metals
Bases
Amines
- **10.6 Hazardous decomposition products:** In case of fire: see section 5

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 5)

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	3,310 mg/kg (rat)
Inhalative	LC50/4h	40 mg/l (rat)

- **Skin corrosion/irritation:** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards:**
- **Endocrine disrupting properties:** No relevant information available

SECTION 12: Ecological information

- **12.1 Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** BOD / ThBOD (5 d) = 83%
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment:**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6 Endocrine disrupting properties:** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects:**
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Dispose of in accordance with official regulations.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Uncleaned packaging must be disposed of in the same way as the product in accordance with official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN2789
- **14.2 UN proper shipping name**
- **ADR** 2789 ACETIC ACID, GLACIAL
- **IMDG, IATA** ACETIC ACID, GLACIAL

(Contd. on page 7)

GB

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 6)

· 14.3 Transport hazard class(es)

· ADR



· Class: 8 Corrosive substances.
· Label: 8+3

· IMDG



· Class 8 Corrosive substances.
· Label 8/3

· IATA



· Class 8 Corrosive substances.
· Label 8 (3)

· 14.4 Packing group

· ADR, IMDG, IATA II

· 14.5 Environmental hazards

· Marine pollutant: No

· 14.6 Special precautions for user

Warning: Corrosive substances.
· Hazard identification number (Kemler code): 83
· EMS Number: F-E,S-C
· Segregation groups (SGG1) Acids
· Stowage Category A
· Segregation Code SG36 Stow "separated from" SGG18-alkalis.
SG49 Stow "separated from" SGG6-cyanides

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1L
· Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
· Transport category 2
· Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) 1L
· Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 7)

· UN "Model Regulation":

UN 2789 ACETIC ACID, GLACIAL, 8 (3), II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Substance is not listed.
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Substance is not listed.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 40, 75
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
Substance is not listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
- **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.

· **National regulations:**· **Technical instructions (air):**

Class	Share in %
II	80-100

- **Water hazard class:** Water hazard class I (Assessment by list): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product Safety Department
- **Contact:** +49 6221 13840-35
- **Date of previous version:** 10.11.2017
- **Abbreviations and acronyms:**
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 PBT: persistent, bioaccumulative, toxic substance (UK REACH)
 vPvB: very persistent, very bioaccumulative substance (UK REACH)
 UK REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
 GB CLP: Regulation on classification, labelling and packaging of substances and mixtures
 bw: body weight
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.10.2024

Version number 2

Revision: 24.10.2024

Trade name: Acetic acid 100 % for LC-MS

(Contd. of page 8)

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Flam. Liq. 3: Flammable liquids – Category 3**Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

GB